

FC PORTFOLIOS

Timber Ring Binder & Slipcase Spot Digital Print Instructions

A. Printing on Binder

Artwork Quality Requirement


If your artwork is a **raster** (e.g. .tiff, .jpg, .png, .bmp) image, please make sure of the following:

- Artwork must be embedded and at least 300 DPI or it will print pixelated.
- Saved as **CMYK**, **NOT** RGB.

If your artwork is a **vector** (e.g. .eps, .ai, .pdf, .svg) image, please make sure of the following:

- All text is converted to outlines to ensure that it is displayed correctly when printed.
- Saved as **CMYK**, **NOT** RGB.

Artwork placement instructions



Spine area _____

Edge of outer cover area _____

Cloth wrapped area _____

By following the steps below, your artwork will be print ready:

- ① Outline all text and embed any images that are placed in the artwork.
- ② Place a copy of your artwork without the template on the second page of the template.
- ③ Keep in mind that the colour of the spine is the colour that you selected in your order.


! Please note:

- Submitted artwork is treated as approved artwork.
- We can only reproduce the quality you provide.
Remember if the artwork looks pixelated on your screen, it will print pixelated as well.

FC PORTFOLIOS

Timber Ring Binder & Slipcase - Spot Digital Print Instructions

Print Example for Binder



Please make sure your art is NOT placed on the cloth wrapped area of the front cover.



Correct placement of artwork on template



Completed binder with slipcase

Finished Product



FC PORTFOLIOS

Timber Ring Binder & Slipcase Spot Digital Print Instructions

B. Printing on Slipcase

Artwork Quality Requirement


If your artwork is a **raster** (e.g. .tiff, .jpg, .png, .bmp) image, please make sure of the following:

- Artwork must be embedded and at least 300 DPI or it will print pixelated.
- Saved as **CMYK**, **NOT** RGB.

If your artwork is a **vector** (e.g. .eps, .ai, .pdf, .svg) image, please make sure of the following:

- All text is converted to outlines to ensure that it is displayed correctly when printed.
- Saved as **CMYK**, **NOT** RGB.

Artwork placement instructions



Spine area



Edge of outer cover area



By following the steps below, your artwork will be print ready:

- ① Outline all text and embed any images that are placed in the artwork.
- ② Place a copy of your artwork without the template on the second page of the template.
- ③ The colour of the slipcase matches the colour of the cloth wrapped area of the binder that you purchased.
- ④ Avoid placing important details close to the **edges of the cover** as the position may not be exact and varies according to the ring size.

! Please note:


- Submitted artwork is treated as approved artwork.
- **Front Cover** of the **Slipcase** is on the **left** of the screen.
- We can only reproduce the quality you provide.
Remember if the artwork looks pixelated on your screen, it will print pixelated as well.

FC PORTFOLIOS

Timber Ring Binder & Slipcase - Spot Digital Print Instructions

Print Example for Slipcase

Sample placement of artwork on template



Finished Product



Completed binder with slipcase

